

# Display energy certificate (DEC)



HM Government

Southbank Centre  
Hayward Gallery  
Southbank Centre  
Belvedere Road  
LONDON  
SE1 8XX

Operational rating

**E**

Certificate number: 9521-9751-4712-2703-1003

Valid until: 31 March 2022

Total useful floor area: 8827 square metres

## Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO<sub>2</sub>) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	<b>A</b>		
26-50	<b>B</b>		
51-75	<b>C</b>		
76-100	<b>D</b>		
			100
101-125	<b>E</b>	111   E	
126-150	<b>F</b>		
150+	<b>G</b>		

## This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m <sup>2</sup> /year)	105.56	126.21
Typical energy use (kWh/m <sup>2</sup> /year)	70	185.31
Energy from renewables	0%	0%

## Previous operational ratings

Date	Operational rating
April 2021	111   E
April 2020	142   F
April 2019	143   F

## Total carbon dioxide (CO<sub>2</sub>) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO<sub>2</sub>.

Date	Electricity	Heating	Renewables
April 2021	512	216	0
April 2020	600	320	0
April 2019	601	330	0

## Assessment details

Assessor's name	Jonathan Crowley
Employer/Trading name	ENGIE Services Limited
Employer/Trading address	Level 20, 25 Canada Square, London, E14 5LQ
Assessor's declaration	Not related to the occupier.
Accreditation scheme	CIBSE Certification Limited
Issue date	29 April 2021
Nominated date	1 April 2021